




REBUILD THE SPACE
ENJOY THE
SPACE






DESIGN TO MEET THE NEEDS ENDOW ARCHITECTURAL SPACE WITH **A NEW AESTHETIC**



According to MEDO, people is the subject of space, because people can find the beauty of space. Windows and doors are the soul of architecture. They are a kind of decoration, but also the ultimate aesthetic pursuit of designers.

MEDO has always advocated a natural and fashionable design concept, and endowed the products with natural aesthetic feeling and profound meaning. MEDO pays attention to the perfect combination of performance, function and design aesthetics, and the products have strong cultural taste and fashion flavor. In this way, windows and doors can better integrate with the space and achieve perfect harmony with the environment. MEDO deeply studies the application of windows and doors in architecture, endows windows and doors with different visual aesthetic feeling and sense of user experience, and achieves a high degree of harmony between art and technology.



MEDO is a life style.
Your home is not just an apartment
or villa,
but also the space that brings you
infinite inspiration.

YOURSELF

MEDO
LIFE
STYLE
YOURSELF

SIMPLIFIED BUT
NOT **SIMPLE**
INTENTIONALLY BUT
NOT **DELIBERATELY**

MD-25TG





Sliding Partition System

Sliding partition is an indispensable product in minimalist architecture. Because the product itself is a beautiful view!

Slime frame, big panel, max size per panel 2000mm*2800mm, no corner million.

When you open it, the door disappears.

When you close it, the door not only performs excellently in water tightness, air tightness and drainage to provide a safe and sound home, but also adds extraordinary beauty to the architecture.



CORNER OPENING EXPANDED VIEW






THE GRACE OF HOME IS IN THE **FREEDOM** OF ACTION

← Aesthetics

MEDO sliding partition system breaks the original sequence of buildings with its unique life form. Keep the original home structure and inject new elements into modern life. The combination of static time and dynamic space gives people the freedom of living activities and finds a complete balance between dynamic and static.





MD-100ZDM

Hidden Bi-Folding Door System

PRODUCT PARAMETERS

Max Weight	100kg
Max Size	1000mm (W) x3000mm (H)



Air Tightness Level 8



Thermal Insulation




Water Tightness 500pa



Sound Insulation 37dB



Anti Wind Pressure Level 9



UNBLOCKED VIEW⁺ BONUS FOR LIFE

When the product manager tried to hide the folding door fan, people thought he was crazy:
How could this be possible?

When MEDO designers integrated thermal break, narrow frame, hidden sash and high-low waterproof track into a folding door system, they are so proud to announce: whatever you want, we can realize it!

FOLDING EASILY TO PROVIDE FULLY-OPEN SPACE

MD-100ZDM concealed hinge bi folding door system can meet various needs for different scenarios with tremendous configurations.



220



321



440



422



541



642



761






SMALL ROOM **BUT BIG VIEW**

The owner has a deep love for big room and hopes to have more space and greater comfort. Though the site is not very big, the MD-100ZDM hidden bi folding door system allows it to be used as an extended interior space for leisure throughout the year, making the interior and exterior areas joined together into a large space seamlessly.



OUR DESIGN WELL ILLUSTRATES SYSTEM




MD-80PC/PM

Window And Door System

MD-80PC/PM window and door system has a complete set of design to meet any critical requirement.

MEDO knows that windows and doors, as a part of architecture, mean to provide a solution. And the solution is made up by some basic elements: product performances and full categories. Thus, MD-80PC/PM was born.



UNIQUE


The only difference is that we are different everywhere.



The project has a sunken basement, which needs to pay special attention to the interior lighting. MD-80PC/PM window and door system can meet the requirements of various building's facade designs. The leveled frame and sash bring the architectural an extremely simple and beautiful appearance. The unique anti-pry design guarantees a strong anti-theft performance, well solves the security issue of outswing casement windows, and meets the requirements of high-end projects.

PERFORMANCE

The first step of windows and doors.



MD-80PC-130NW

Outswing casement window system with flyscreen

PRODUCT PARAMETERS

Max Weight	80kg
Max Size	700mm (W) x1600mm (H)



Air Tightness Level 8



Thermal Insulation




Water Tightness 500pa



Sound Insulation 37dB



Anti Wind Pressure Level 9



EXQUISITE
LIFE
NEVER
COMPROMISE
TO NOISE






SPLURGE ON
LOTS OF SPACE
IN THE NAME
OF COMFORT

INCOMPARABLE
FEELING **OF**
POWDER.



MD-100PC-120NW

Outswing casement window system with flyscreen



UPGRADE

of the traditional outswing casement window!

It not just changed the structure, but also solved the potential problems of traditional outswing casement windows.



MANAGE THE WIND AND RAIN

GET ALONG WITH THE NATURE

This is an outswing casement window designed to provide excellent drainage for areas nearby sea or with heavy rain.



MD-86PC-120SW


Curtain Wall Window System

A lot of designers hope to design large window like curtain wall. This is the origin of this window system!

Ultra safety is assured by 2.0mm wall thickness, patented groove with multi-point lock, aligned sash and frame, and 120mm reinforced mullion etc..


Concealed folding fly screen meets both the visual aesthetics and the anti-mosquito function.

A good system cares all details!



RICH IN HIERARCHY

ATTRACTIVE IN DESIGN





INTERIOR AND EXTERIOR **PERFECTLY BALANCED**

The building is integrated into the natural landscape to contrast with the artificial landscape outside
It is a building that explores the duality of open space and closed space, interior and exterior
The main space of the house is completely open through the use of large windows
Transforms the interior space into a roofed terrace




SYMMETRY

is the nature of visual beauty
because we live in a world full of symmetry

MD-120PC-120NW

Outswing casement window system with fly screen



The sash levels with glass bead and frame to form a unified outlook, which is called "hidden sash". It is an application of the symmetry beauty in windows and doors.

The visible width of "sash+mullion+glass bead of fixed panel" is only 88mm. Patented double groove enables multi-point lock on four sides for extra safety while profiles are in slim lines.

MEDO designers have done great efforts to realize extremely slimline systems just to satisfy the extreme requirements of the minority of people.

The more simplified, the less simple!





MD-120PC-120NW outswing casement window with fly screen can well meet the high requirements for both decoration and performances.

Patented concealed drainage system can excellently solve the water issue in extreme weather. Composite EPDM weather strip will expand automatically with water for better sealing performance.





QUALITY
REFINED INTERNALLY
AND EXTERNALLY



OUTSTANDING APPEARANCE


is the initial impression that this window gives!

MD-120PC-120SN inswing casement window with concealed fly screen has adopted highly transparent fly screen. With its patented opening method, it is removable and can be hidden between frame and glass panel.

The extremely simple appearance is the perfect manifestation of the special patented structure!

MD-120PC-120SM

Inswing window system with concealed fly screen



HANDLE

28,000+ times cycle test
with longest warranty of 10years






MD-120PC-120SN system not only meets the needs of the master for view and sunshine, but also solves the problem of huge temperature difference between indoor and outdoor

MD-95PT

Parallel Window System

Different from the common outswing window, the curtain wall shaped frame simplifies the outlook. And the whole panel can be pushed out for a vertical elevation effect.

The 360° opening mode gives it good lighting, ventilation and smoke extraction functions.





INVISIBLE INCREDIBLE

We make a difference!

Compared with other window systems pursuing decoration function, MD-95PT parallel window system pays more attention to the living experience

MEDO designers have done the design to its extreme with simplified colors and decoration lines.

HOME OF WINDOWS INTERPRETATION OF ARCHITECTURE WITH NEW ART

Through more than 30 different "Windows", as well as the scenery and life inside and outside the Windows, the relationship between man and nature creates a more essential connection. The "Windows" have maximally introduced the landscape of distant mountains and enhanced a kind of non-daily living experience.



SEE THE **BIGGER** WORLD VIA A SMALL WINDOW

MD-95PT

Sliding window system

The frame, which is difficult to be ignored, is finely integrated into the wall to enhance the visual experience.



WINDOWS AND
DOORS
THE **SOUL**
OF THE
ARCHITECTURE

SOUL

MEDO 米度

MEDO, a brand that focuses on the aesthetic design of windows and doors, has a unique vision of contemporary aesthetics. We are committed to integrating the engineering of doors and windows with aesthetics and presenting them in our living space in a simple way. According to MEDO, a truly aesthetic space can speak with your mind. In terms of products, we take the geography and nature into consideration to best balance various window and door performances; we seek the best meeting point for functions and user experience; and we apply the highest technology and manufacturing process, from engineering to aesthetics, to integrate products into buildings and make space and nature harmonious.

In terms of thoughts, we express our understanding of window and doors in our own way: system windows and doors are not only an important part of building safety and energy efficiency standards, but also the core of living experience.

System windows and doors are the soul of architecture, and MEDO makes the soul communicate with nature. Open is to own the world; Close is to protect the loved ones. With professional vision and creative design, MEDO designers build a bridge among people, between man and space, between man and nature.

MEDO is the guardian of love and the dedication of love!

MD-190TM



Slimline Lift And Slide Door System

How to apply slimline lift and slide door to the building is a real kind of tangle.

How to ensure strong wind pressure resistance, heavy load bearing, water tightness, air tightness... all those are the issues that MEDO designers need to solve.

It is an extreme challenge to make the sliding doors huge in size, slim with beautiful lines, and excellent in performances!

3.0mm wall thickness, well balanced profile lines, double thermal break, heavy duty with max 500kg load bearing; all of those reflect the designer's outstanding ability on profile structure design and the ultimate pursuit of hardware solution.





SLIMLINE

LIFT AND SLIDE DOOR

Aesthetics ———→


Space becomes outstanding when it contains the noble concept of human settlements. MEDO believes that the discovery of the unique aesthetics of simplicity is based on exquisite details and excellent workmanship. The product is to meet different people's aspirations for quality life and pursuit of forefront aesthetics.





BORN FOR THE
PERFORMANCE
AND THE VIEW





MD-140TM

Lift And Slide Door System

PRODUCT PARAMETERS

Max Weight	2500kg
Max Size	2000mm (W) x3000mm (H)

-  Air Tightness Level 8
-  Thermal Insulation
-  Water Tightness 500pa
-  Sound Insulation 37dB
-  Anti Wind Pressure Level 9



Details —→

The high-tech miracle hidden in luxury watches are invisible. Just as the smooth and clean lines of Bentley or Ferrari don't reveal the engines they have. We've visited high-end watch manufactures and racing car workshops, and found that they have same spirit and mentality. The founder of MEDO said that details of hidden components were well taken into consideration. Because they are part of the whole system and every detail is crucial.




← Performances

MEDO believes that good system windows and doors can create a healthy and comfortable environment. A qualified system needs to well consider a series of important function, such as water tightness, air tightness, wind pressure resistance, mechanical strength, operation smoothness etc., as well as the integrated use of equipment, profiles, accessories, glass, glue and seals etc.. Those are indispensable to form a high-performance window and door system.

BRAZILIAN ORCHARD HOUSE






MD-152TC

Sliding Window System

Sliding window, those who like it think it is convenient to use with good view and ventilation; while those who don't like it think it is poor in sealing, energy saving and wind pressure resistance. MEDO designers think a slimline sliding window with high performances will make space design much more flexible, and thus have developed a slimline sliding window similar to casement window in sealing, water proof and wind pressure resistance.








MD-68ZDM


Bi Folding System

PRODUCT PARAMETERS


Max Weight	100kg
Max Size	800mm (W) x2400mm (H)




Air Tightness Level 5




Thermal Insulation3.9W/m2K



Water Tightness 350pa



Sound Insulation 35dB



Anti Wind Pressure Level 9

Automatic locking function of
doors and windows, one pull can lock
one press can open, intimate protection
reduce hidden danger



Make Your View Wider.

Add more colors to your view, Add more freedom to your life!

Life always likes to return to nature. Naturally, the family needs cultural integration and artistic participation, so that it can be born and inspired. Nature also hides the deep understanding of humans' ideal living, so that life can feel the warmth and harmony of home. Idle, comfortable, yet tasteful and rich...










MD-80ZDM

Bi Folding System

PRODUCT PARAMETERS

Max Weight	150kg
Max Size	850mm (W) x3400mm (H)

-  Air Tightness Level 5
-  Thermal Insulation3.8W/m2K
-  Water Tightness 350pa
-  Sound Insulation 35dB
-  Anti Wind Pressure Level 9

2+2

Bottom load Bearing Roller set


concealed hinge, hidden roller, with simple and neat outlook








PRODUCT PARAMETERS


Max Weight	300kg
Max Size	1600mm (W) x6000mm (H)

 Air Tightness Level 5

 Thermal Insulation3.7W/m2K

 Water Tightness 350pa

 Sound Insulation 35dB

 Anti Wind Pressure Level 9

MD-120ZDM
Bi Folding System



Enjoy
the life
With
dream home




Upper Loading Bearing Roller Sets

Continuously updated and optimized hardware and profile systems

Concealed hinges and rollers with simple and neat outlook

90° degree opening for larger and unobstructed view.



MD-184TM

Concealed Sash Slimline
Sliding Door System

PRODUCT PARAMETERS

Max Weight	250kg
Max Size	3000mm (W) x2700mm (H)



Air Tightness Level 5



Thermal Insulation 3.0W/m²K



Water Tightness 700pa



Sound Insulation 35dB



Anti Wind Pressure Level 9



Excellent
performances
Outstanding outlook

Isolated from the hustle and bustle
Be quiet, comfortable, and relaxed
Reserve a space for yourself





